Help



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 7382382

Procuring Entity DEPARTMENT OF TOURISM

Title ONE (1) YEAR SUBSCRIPTION OF LICENSE OF ANTI-VIRUS

Area of Delivery Metro Manila

Solicitation Number:	2020-12-0130	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods - General Support Services	Bid Supplements	0
Category:	Information Technology		
Approved Budget for the Contract:	PHP 999,000.00	Document Request List	0
Delivery Period:	1 Year/s		
Client Agency:		Date Published	23/12/2020
Contact Person:	FELICISIMO EVANGELISTA MAXIMO		
	Admin. Officer III 351 Sen. Gil Puyat Avenue Makati City Metro Manila	Last Updated / Time	22/12/2020 15:15 PM
	Philippines 1200 63-02-8900189 63-02-8900189 peles.maximo@yahoo.com	Closing Date / Time	28/12/2020 10:00 AM

Description

Terms of Reference

Renewal of Subscription License of Anti-Virus

Background

In 2017, the DOT acquired the annual license subscription on Kaspersky anti – virus to protect the DOT computer and other devices from malicious attacks such as but not limited viruses, rootkit, Trojan, spyware, malware and ransomware.

The Kaspersky is one of the best and leading brand of anti – virus software in the world. In providing protection and security as well as preventive measure against newly develop viruses, rootkit, Trojan, spyware, malware, ransomware, and other malicious attack by integrating analytics.

Objectives

The main objective is to have a protection that will secure and protect DOT database, systems, files and other ICT equipment but also have a preventive measure against newly developed virus, malware, ransomware, and other related issues.

Technical Specification

Endpoint Security for Business (ADVANCE) for 1000 Licenses.

Delivers a multi-layer anti-malware protection for smartphones, workstations and servers with end - point controls, mobile device management, encryption and systems management under a single, unified management console.

Features:
1. Anti-malware (workstations and file server) ☐ The solution must have multiple anti-malware engines – with the combination of the traditional Signature-based, heuristic, Cloud-Assisted scanning and Machine Learning technology – for superior scanning and detection capability. ☐ The solution should be able to provide security for heterogeneous IT environment. It shall support a range of platforms – including Mac, Linux and Windows – Including the new Windows 10 and Windows Server 2016 operating system.
Lightweight mode for Threat Protection ("Cloud mode"). Light antivirus databases with enabled KSN (require less
RAM and drive space). The solution should provide protection against new and unknown malwares. It should have an urgent detection system that may help protect the system against new threats, even before the release of a new malware signature. The solution should be able to monitor the behaviour of applications automatically. It should have Behavioural Detection, Exploit, Anti-Rootkit and Remediation Engine that monitor the system – real time – and will detect any suspicious behaviour deeper within your system and application that rolls back actions done by malware. The Solution should have Protection against encryption for shared folders unique anti-cryptor mechanism capable of blocking encryption of files on the shared resources from the malicious process running on another machine on the same network.
\Box The solution should have a deeper level of protection that could work on the lowest level of a computers' operating
system. The Solution should have technologies that are improving its performance by estimating file threat level on the basis of its last modification date. File last modification date is compared against its first scan date, creation date, and antivirus databases release date.
☐ The solution should have Host-based Intrusion Prevention System (HIPS) and personal firewall that would protect against hacker attacks. It should be able to control inbound and outbound traffic – by setting up parameters for an individual port, IP address or application.
☐ The solution should have a Network Threat Blocker mechanism that detects and monitors suspicious activity on your network. It should be pre-configurable on how the system should respond when suspicious behaviour is detected.
☐ The solutions should be able to auto-quarantine or auto-delete identified malwares without end-user interaction. ☐ The solution should be able to scan body text and attachments of incoming e-mail messages that are delivered through POP3 / IMAP mail clients. ☐ The solution should be able to block malicious/phishing URLs.
☐ The solution should be able to scan password protected compressed files for malicious programs. ☐ The solution should be able to re-launch itself automatically - when file server restarts - on events that the server experiences fault or suffering an unplanned shut down. ☐ The Solution should have AMSI Protection Provider. Antimalware Scan Interface (AMSI) allows a third-party application with AMSI support to send objects (for example, PowerShell scripts) to endpoint security solution for additional scan and to receive scan results for these objects. ☐ The Solution should be able to monitor and block abnormal behavior of applications. ☐ The solution should have the option of single agent for EDR and EPP (Endpoint Protection) that can be activated
via licensing option. 2. End – point Controls (a). Application Control The solution should be able to control application start up by blocking, granting or auditing each application upon launch.
☐ The solution should be able to monitor and classify each application as trusted, untrusted or restricted. ☐ The solution should be able to control whether an application is given access to specific system resources, such as the file system or the registry. ☐ The solution should be able to do Blacklisting and Whitelisting technology. ☐ The solution should have a dynamic whitelisting service that assesses the security of commonly used applications. Whitelist database should be updated regularly and automatically to ensure up-to-date protection. ☐ Policy should be able to use user account-based profile on the active directory.
(b). Device Control ☐ The solution should be able to allow administrator to set policy and control to any connected device, on any connection bus (not only USB), at any time. ☐ The solutions should be able to support device management and shall allow administrator to monitor, block or make the device Read-Only along with the option of providing exceptions. ☐ The solution should be able to block or allow devices based on specific serial number. ☐ The solution should be able to generate logs of events associated with deleting and saving files on USB device. ☐ The solution should be able to generate logs of list of trusted Wi-Fi networks, based on network name, encryption type, and authentication type.
☐ The solution should be able to monitor information about write and removal operations performed with files located

☐ The solution should have Anti-Bridging capability which blocks unauthorized commuting between networks.

 \square Policy should be able to use user account-based profile on the active directory.

on removable drives.

(c). Web Control ☐ The solution should be able to filter each client's web browser usage. It should be able to permit, prohibit, limit or audit users' access to individual websites or categories of websites – including games websites, gambling sites or social networks. ☐ Policy should be able to use user account-based profile on the active directory.
3. Data Protection The solution should be capable of doing Full-Disk Encryption (FDE) and protects data on hard-drives The Solution should be capable of Bitlocker Management The solution should be able to do - pre-boot authentication – that is requiring users to pass through an authentication process before the operating system will even launch. The solution should be capable of doing single sign-on (SSO). The solution should be capable of doing File-Level Encryption (FLE). The solutions should be capable of encryption removable drive (USB) by means of Entire Drive Encryption and Portable Mode. The solutions should be capable of protecting data during transfer, storage and restoration, regardless of the policy settings at the endpoint to which the data is restored. The solution should be able to prevent exchange of encrypted files over IM or Skype, without restricting legitimate message exchange. The solution should be capable of providing mechanism for password recovery. Ability to recover disk data in case of hardware failures. The solution should be GDPR compliant.
4. Mobile Device Management and Security ☐ The solution should be able to configure and manage smartphones and tablets from a single console. ☐ The solution should be compatible with different mobile platforms − IOS and Android. ☐ The solution should be able to do − "Over the Air" Provisioning. It should be able to secure phones remotely by sending either an email or SMS containing a link to the corporate portal where users can download the profile and applications that administrator has approved. ☐ The solution should be able to detect rooted and jailbreak mobile devices to ensure compliance policy in the network. ☐ The solution should be able to enforce security settings such as camera disabling and force password. ☐ The solution should be able to control the applications that are being run in the mobile devices. ☐ The solution should have "Anti-Theft" mechanism for mobile devices. ☐ The solution should have multiple layer of anti-malware protection on mobile devices. ☐ The solution should have a 'CONTAINERIZATION" mechanism that will separate corporate data from personal data on mobile devices.
5. System Management Tools The solution should have operating system and application provisioning. Provide easy creation, storage, cloning and deployment of system images from a central location. The solution should be able to check operating system and other application vulnerabilities The solution should be able to patch Microsoft systems files and other 3rd party applications seamlessly. Patching should be automatic or scheduled. The solution should have license provision and control. It should have tools that could limit usage only to approved applications and versions - and restrict the number of licenses in use. The solution should have an asset inventory system that would list all hardware devices and software applications in the network. A notification should be sent to administrator once a new device has been found in the network. The solution should support "Wake-On LAN Technology" that would allow the solution to power-on workstations remotely during long hours of deployment or troubleshooting process. The solution should be able to assign workstations that would act as remote agent in a remote branch office for central update agent. The solution should have the capability to do remote and software installation from centralized management server. The solutions should have troubleshooting tools that can be use to remotely and securely connect to a client system to fix issues — from the same administration console.
6. Unified Management Console The solution should be capable of deploying applications such as end-point and third-party applications on a machine remotely. The solutions shall support Policy Enforcement The solutions shall provide dashboard with multiple information & these information should also be fetched from database based on different queries. The solution should be able to have automated mobile policies for devices that leave the corporate network. The solution should provide pre-defined policies as well as provide provision to change and customize policies based on groupings. The solution should have a single and unified management console to all its security and control features. The solutions should be able to manage mixed platforms in one management console.

could be based on IP Address of a subnet of machines or a particular site. ☐ The solution should be able to provide a concise and accurate report that can be customize by the administrator. ☐ The solution shall support reporting in the following format like XML, HTML and or PDF ☐ The solution should have a web-interface that will be use to monitor the protection status and reports remotely.
7. Certification and Accreditations ☐ The solution should be recognized by ICSA Lab, NSS Lab. ☐ The solution must be certified by the following 3rd party testing organization: VB100, AV Comparatives – with +ADVANCE rating at least for 3 consecutive years.
8. Optimized Endpoint Detection and Response (a). Features Must provide an optimum Endpoint Detection and Response to stay safe in the face of complex and advanced threats by providing simplified investigation, advanced detection, and automated response, with simple root cause analysis. Capable to provides simple investigation tools, deep visibility, and automated response options in order to not just detect the threat, but to reveal its full scope and origins and instantly respond, preventing business disruption. Capable to perform and optimizes manpower resources and IT overheads by providing simple centralized controls and a high level of automation with a streamlined workflow from a single console available both on-premises and in cloud3. Compatible to existing AV (b). Performance See security alerts on the endpoints and analyze them further to understand the full breadth and depth of the threat. This helps ensure the incidents are fully dealt with and no remainder of the threat is left on the endpoint. Must have enriches incidents with necessary information and helps the Agency understand connections between different events through attack spread path visualization. Set up automated responses for threats discovered across all endpoints based on IoC scans, or instantly respond to incidents upon discovery with 'single-click' options. Streamlined workflow from a single console available both on-prem and in cloud is coupled with simple EDR scenarios and controls, including drill-down visualization, IoC scanning and response options that don't require too much cybersecurity expertise or time. C). Detection
9. Maintenance and Support Level Agreement The solution should have a local distributor representative in the Philippines that has been operating for at least five (5) years now. The supplier of the solution should have at least two (2) certified engineers for end-point solution. The solution must be able to provide a 3-tier support. The local reseller as the first-level of support, the distributor as the second-level and the principal as the third-level of support. The supplier of the solution must be able to provide a comprehensive after-sales support and Maintenance agreement with options of 8x5, 8x7 SLA. The supplier of the solution must be able to provide support through Phone, Email, Web-Remote Assistance and On-Site/On-Call support. The supplier of the solution must be able to provide quarterly systems check-up for health monitoring. The supprade within the Warranty
10. Warranty: One (1) year subscription and services W/Quarterly onsite support and services Approved Budget Cost (ABC)
The cost for the renewal of subscription license was estimated at Nine Hundred Ninety Nine Thousand Pesos (Php 999,000.00) chargeable against the 2020 ITD Funds.
Mode of Payment: Government Procedure
Delivery: 15 calendar days upon receipt of Notice to Proceed
Project Officer:

Paul Brian D. Lao
OIC
IT Division – OTDPRIM
Department of Tourism
351 Sen. Gil Puyat Ave
Makati City
(02) 8459 – 5200 Loc 518

*

Other Information

NOTE: The winning bid shall be determined based on the proposal with the most advantageous financial package cost, provided that the amount of the bid does not exceed the above total budget.

REQUIRED VALID DOCUMENTS TO BE SUBMITTED:

- 1. Current Mayor's / Business Permit/BIR Certificate of Registration (Individual)
- 2. PhilGEPS Registration Number or Platinum Membership
- 3. Latest Annual Income or Business Tax Return (for ABC's above Php500,000.00)
- 4. Duly Notarized Omnibus Sworn Statement (original or certified true copy)

Kindly submit your quotation for the above requirement VIA email together with the required valid documents not later than 10:00 of December 28, 2020 to: femaximo@tourism.gov.ph or taromanes@tourism.gov.ph or jsfrancisco@tourism.gov.ph

Created by FELICISIMO EVANGELISTA MAXIMO

Date Created 22/12/2020

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2020 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap